

NYS236

mono 2 pole 1/4" jack to jack adapter



Article Variations

| Article Name | Details | Packaging |
|--------------|--|------------------|
| NYS236 | mono 2 pole 1/4" jack to jack adapter | Single Packaging |
| NYS237 | mono 2 pole 1/4" plug to plug adapter , full metal | Single Packaging |
| NYS238 | mono 3 pole 1/4" jack to jack adapter | Single Packaging |
| NYS239 | mono 3 pole 1/4" plug to plug adapter , full metal | Single Packaging |

Technical Information

Product

| | |
|------------------------|--------|
| Title | NYS236 |
| Connection Type | |

Electrical

| | |
|------------------------------|---------------------------|
| Contact resistance | $\leq 10\text{m}\Omega$ |
| Insulation resistance | $\geq 2000\text{M}\Omega$ |
| Dielectric strength | 50Hz 500VAC |

Mechanical

| | |
|---------------------------------------|--------------------|
| Insertion and Withdrawal force | 2-35N |
| Lifetime | >1000mating cycles |

Material

| | |
|----------------------------------|-------------------|
| Fixed Sleeve | ABS |
| Housing | Brass |
| Sleeve Nose | Brass |
| Contact | Bronze |
| Contact/Soldering Contact | Tinned and Cerium |