

NYS373

Phono plug, black housing, gold plated contacts,
rubber anti-kink boot, chuck type strain relief, cable
O.D. 3.5 - 6.1 mm





Article Variations

| Article Name | Details | Packaging |
|--------------|---------------------|-----------|
| NYS373-0 | Black color coding | |
| NYS373-2 | Red color coding | |
| NYS373-4 | Yellow color coding | |
| NYS373-5 | Green color coding | |
| NYS373-6 | Blue color coding | |
| NYS373-9 | White color coding | |

Technical Information

Product

| | |
|------------------------|---------------------|
| Title | NYS373 |
| Connection Type | Phono ("RCA/Cinch") |

Electrical

| | |
|------------------------------|------------------------------------|
| Contact Resistance | $\leq 10 \text{ m}\Omega$ |
| Insulation Resistance | $> 2000 \text{ M}\Omega$ (Initial) |
| Rated Voltage | 0.5 VAC |

Mechanical

| | |
|---------------------------------------|------------------------|
| Insertion and Withdrawal Force | 5-20N |
| Lifetime | > 5000 Mating Cycles |

| Material | |
|----------------------------|--------|
| Pin | Brass |
| Housing | Copper |
| Housing | Zinc |
| Boot | PVC |
| Ground Contact | H62 |
| Chuck | PA6 |
| Color dividing ring | Rubber |
| Elastic clamp | ABS |
| Pin | Gold |
| Housing | Gold |
| Ground Contact | Gold |
| Housing | Black |